

RM 81 | GDU 2030


VT2P-RIB

AVAILABLE RIB: YES

Management & Positioning

- Widely adapted across early 80's RM zone with top yield performance
- Strong agronomics with very good roots, stalks, and early vigor
- Medium-tall plant with girthy ear and loose husk, good dry down
- Attractive plant type with late season intactness
- Dominant yield in 80–82-day maturity range

Agronomic Ratings



Agronomic Traits

Plant Height	Medium-Tall	Kernel Rows	16-18
Ear Height	Medium	Cob Color	Red
Flowering	Med-Late	Kernel Texture	Medium
Leaf Habit	Semi-Upright	Kernel Depth	Medium
Ear Flex	Semi-Det	Husk Coverage	Short
Ear Type	Girthy	Shank Length	Medium

Precision Placement™ Management

Planting Date:		Soils:	
Early	HR	Clay Loams	R
Late	R	Sandy	R
Variable Planting Populations		Silt Loam	HR
With Yield Zone:		Peat	R
Low	18-24,000	Compacted	N
Moderate	24-30,000	Poorly Drained	N
High	28-34,000	Drought Prone	N
Very High	32-36,000	High pH	R
Dryland <20	18-24,000	Fertility:	
Water Management:		Nitrogen	
Full Irrigation	R	Low	N
Limited	HR	Med	R
Dryland	HR	High	HR
Crop Rotation:		Post Application:	
Corn/Soybeans	HR	Herbicide	Normal
Continue Corn	N	Fungicide	Positive
Tillage:		LPI Nutritional	Very Good
Conventional	HR	Herbicide Resistance	Glyphosate
Minimum	HR	Harvest Schedule:	
Ridge-Till	HR	Early	HR
No-Till	HR	Late	R
Soil Productivity:		Forage / Silage Quality:	
Low	R	Silage Select	YES
Moderate	HR	Dual Purpose	HR
High	HR		

Disease Tolerance Ratings

Gray Leaf Spot	6	Common Rust	n/a
Goss's Wilt	6	Southern Rust	n/a
N. Leaf Blight	7	Anthracoze	5
S. Leaf Blight	n/a	L. Anthracnose	6
Eye Spot	n/a		

Trait Versions Available

CONV - NONE

Plant with These Hybrids for Diversity

D22VC62 | D22QZ42 | D23VC83

Ratings Key: 9=Excellent, 5=Average, 1=Poor; HR=Highly Recommended, R=Recommended, N=Not Recommended, n/a Testing not complete. Herbicide abbreviations: GR=Growth Regulator, PI=Pigment Inhibitor, SU=Sulfonylurea. Yield zones based upon yield goals in field.

Actual ratings based on best current information available and may be affected by changing environmental and management conditions.