

S2207N



CONV 2.2 RM

No-Till

Management & Positioning

- Early group II conventional line with strong adaptability east to west
- Light tawny-tan plant with nice eye appeal, medium height and very good standability
- Moderate resistance for cyst nematode and Brown Stem Rot
- Very good tolerance for Phytophthora Root Rot and Sclerotinia white mold
- Approved for certain local non-GMO grain channeling markets

Agronomic Ratings

EMERGENCE
STANDABILITY
STRESS TOLERANCE
SHATTER RESISTANCE
PHYTOPHTHORA FIELD TOL.
SUDDEN DEATH SYNDROME
IRON DEFICIENCY CHLOROSIS
SCLEROTINIA WHITE MOLD
BROWN STEM ROT

Phytophthora Field Tolerance

- Score designates reaction to Phytophthora sojae Race 25 for commercial genes Rps1a, Rps1c and Rps1k.
- Score designates reaction to Phytophthora sojae Race 30 for commercial gene Rps3a. Score also based upon in-field observations.
- Phytophthora Field Tolerance scores are important for races of Phytophthora not covered by specific genes of resistance.

Phytophthora Gene Resistance

S = Susceptible or no specific gene resistance

Rps1a = Denotes resistance to Races 1, 2, 10, 11, 13-18, 24, 26, 27, 31, 32 and 36 Rps1c = Denotes resistance to Races 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26, 28-30, 32, 34, 36, 41, 42 and 44

Rps1k = Denotes resistance to Races 1-11, 13-15, 17, 18, 21-24, 26, 36, 37 and 42-44

Rps3a = Denotes resistance to Races 1-5, 8, 9, 11, 13, 14, 16, 18, 23, 25, 28, 29, 31-35, 40 and 43-45

HRps = Denotes Heterozygous resistance (partial resistance) to the specific gene noted

Precision Placement "	^r Management
-----------------------	-------------------------

Row Width		Soils	
Wide	N	Clay & Clay Loams	HR
15-20"	HR	Sands & Sandy Loams Loams & Silt Loam	R HR
Drilled	HR	Poorly Drained	N
Diametica Descriptions		IDC	HR
Planting Populations		High pH	R
Greater than 190K	R		
160-180K	HR		
130-150K	HR		
100/120K	Ν		
Tillage		Yield Environment	
Conventional	HR	High	HR
Minimum	HR	Stable	HR

Agronomic Traits

Stress

Double Crop/Delayed Following Soybeans

R

Plant Height	Medium	Hilium Color	Brown
Canopy Type	Mod-Bush	Oil Content	17.0-18.0
Flower Color	Purple/White	Oil Content Protein Content	34.0-35.0
Pubescence	Light Tawny	Metribuzin Rating	n/a
Pod Color	Tan	Chloride Sensitivity	n/a
		1	

Disease Tolerance Ratings

Cyst Nematode M	1R3,MR14	PRR Resistance	Rps1a
SCN Resistance	PI88788	PRR Field Tolerance	7
Sclerotinia W. Mold	7	Frogeye Leaf Spot	n/a
Brown Stem Rot	8	Stem Canker	n/a
Sudden Death	6	Charcoal Rot	n/a
IDC	8	S Root Knot Nematode	n/a
IDC Recovery	Average	Cercospora Leaf Blight	n/a

Plant with These Varieties

S2409N

Ratings Key: 9=Excellent, 5=Average, 1=Poor; HR=Highly Recommended, R=Recommended, N=Not Recommended, n/a Insufficient Data. Soybean Cyst Nematode: R=Resistant, MR=Moderately Resistant, S=Susceptible, # Denotes race number for resistance.

Actual ratings based on best current information available and may be affected by changing environmental and management conditions.