

# S37XF33





**XTFlex** 3.7 RM

No-Till

### **Management & Positioning**

- XtendFlex® release with proven parental background and step change for performance
- Excellent tolerance for frogeye leaf spot and resistance for stem canker
- Medium-tall plant height with moderate lateral branching and very good standability
- Very good tolerance scores for sudden death syndrome and Phytophthora root rot
- Great yield stability across environments from east to west

#### **Agronomic Ratings**

EMERGENCE						
STANDABILITY						
STRESS TOLERANCE						
SHATTER RESISTANCE						
PHYTOPHTHORA FIELD TOL.						
SUDDEN DEATH SYNDROME						
STEM CANKER						
FROGEYE LEAF SPOT						
S. ROOT KNOT NEMATODE						
0 1 2 3 4 5 6 7 8 9						

# **Phytophthora Field Tolerance**

- Score designates reaction to Phytophthora sojae Race 25 for commercial genes Rps1a, Rps1c and Rps1k.
- Score designates reaction to Phytophthora sojae Race 30 for commercial gene Rps3a. Score also based upon in-field observations.
- Phytophthora Field Tolerance scores are important for races of Phytophthora not covered by specific genes of resistance.

#### Phytophthora Gene Resistance

S=	=	Susceptible	or r	no	specific	gene	resistance
----	---	-------------	------	----	----------	------	------------

Rps1a = Denotes resistance to Races 1, 2, 10, 11, 13-18, 24, 26, 27, 31, 32 and 36 Rps1c = Denotes resistance to Races 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26, 28-30, 32, 34, 36, 41, 42 and 44

Rps1k = Denotes resistance to Races 1-11, 13-15, 17, 18, 21-24, 26, 36, 37 and 42-44

Rps3a = Denotes resistance to Races 1-5, 8, 9, 11, 13, 14, 16, 18, 23, 25, 28, 29, 31-35, 40 and 43-45

HRps = Denotes Heterozygous resistance (partial resistance) to the specific gene noted

Precisio	n Placement''	" Management

Row Width		Soils	
Wide	N	Clay & Clay Loams	HR
15-20"	HR	Sands & Sandy Loams Loams & Silt Loam	R HR
Drilled	HR	Poorly Drained IDC	N R
Planting Populations		High pH	N
Greater than 190K	N		
160-180K	R		
130-150K	HR		
100/120K	R		
Tillage		Yield Environment	
Conventional	HR	High	HR
Minimum	HR	Stable	HR
	_	Stress	HR

#### **Agronomic Traits**

Double Crop/Delayed

Following Soybeans

HR

Plant Height	Med-Tall	Hilium Color	Black
Canopy Type	Moderate	Oil Content	18.0-19.0
Flower Color	Purple	Protein Content	33.0-34.0
Pubescence	Light Tawny	Metribuzin Rating	n/a
Pod Color	Brown	Chloride Sensitivity	Includer
		·	

## Disease Tolerance Ratings

Cyst Nematode M	R3,MR14	PRR Resistance	S
SCN Resistance	PI88788	PRR Field Tolerance	7
Sclerotinia W. Mold	n/a	Frogeye Leaf Spot	8
Brown Stem Rot	7	Stem Canker	9
Sudden Death	7	Charcoal Rot	6
IDC	6	S Root Knot Nematode	n/a
IDC Recovery	n/a	Cercospora Leaf Blight	n/a

### **Plant with These Varieties**

S35XF44 | S38XF22S | S40XF21S

Ratings Key: 9=Excellent, 5=Average, 1=Poor; HR=Highly Recommended, R=Recommended, N=Not Recommended, n/a Insufficient Data. Soybean Cyst Nematode: R=Resistant, MR=Moderately Resistant, S=Susceptible, # Denotes race number for resistance.

\*\*Actual ratings based on best current information available and may be affected by changing environmental and management conditions.\*\*