





0.9 RM **ENLIST** 

#### Management & Positioning

- Enlist E3® soybean introduction features best in class tolerance for iron deficiency chlorosis
- Rps1k and 3a genes for Phytophthora root rot with moderate resistance for brown stem rot
- Very good tolerance for Sclerotinia white mold and resistance for cyst nematode
- Medium plant height with good lateral branching and excellent standability

# **Agronomic Ratings**

EMERGENCE
STANDABILITY
STRESS TOLERANCE
SHATTER RESISTANCE
PHYTOPHTHORA FIELD TOL.
SUDDEN DEATH SYNDROME
IRON DEFICIENCY CHLOROSIS
SCLEROTINIA WHITE MOLD
BROWN STEM ROT
1 1 1 1 1 1 1 1

## Phytophthora Field Tolerance

- Score designates reaction to Phytophthora sojae Race 25 for commercial genes Rps1a, Rps1c and Rps1k.
- Score designates reaction to Phytophthora sojae Race 30 for commercial gene Rps3a. Score also based upon in-field observations.
- Phytophthora Field Tolerance scores are important for races of Phytophthora not covered by specific genes of resistance.

#### Phytophthora Gene Resistance

S:	=	Susceptible	or	no	specific	gene	resistance
----	---	-------------	----	----	----------	------	------------

Rps1a = Denotes resistance to Races 1, 2, 10, 11, 13-18, 24, 26, 27, 31, 32 and 36 Rps1c = Denotes resistance to Races 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26, 28-30, 32, 34, 36, 41, 42 and 44

Rps1k = Denotes resistance to Races 1-11, 13-15, 17, 18, 21-24, 26, 36, 37 and 42-44

Rps3a = Denotes resistance to Races 1-5, 8, 9, 11, 13, 14, 16, 18, 23, 25, 28, 29, 31-35, 40 and 43-45

HRps = Denotes Heterozygous resistance (partial resistance) to the specific gene noted

# Precision Placement™ Management

Row Width		Soils	
Wide	Ν	Clay & Clay Loams	R
15-20"	HR	Sands & Sandy Loams Loams & Silt Loam	N HR
Drilled	HR	Poorly Drained	N
Planting Populations		IDC High pH	HR HR
Greater than 190K	R		
160-180K	HR		
130-150K	R		
100/120K	Ν		
Tillage		Yield Environment	
Conventional	HR	High	HR
		I Stahle	HR

		THE MINISTER OF THE PARTY OF TH	
Conventional	HR	High Stable	HR
Minimum	HR	Stable	HR
		Stress	R
No-Till	HR	Double Crop/Delayed	R
		Double Crop/Delayed Following Soybeans	HR

Agronomic Traits					
Plant Height	M	Hilium Color	BR		
Canopy Type	MB	Oil Content	19.0-20.0		
Flower Color	Р	Protein Content	34.0-35.0		
Pubescence	LT	Metribuzin Rating	7.0		
Pod Color	BR	Chloride Sensitivity	INC		

#### **Disease Tolerance Ratings**

Cyst Nematode	R3	PRR Resistance	Rps1k,3a
SCN Resistance	PI88788	PRR Field Tolerance	6
Sclerotinia W. Mold	7	Frogeye Leaf Spot	n/a
Brown Stem Rot	8	Stem Canker	9
Sudden Death	6	Charcoal Rot	n/a
IDC	8	S Root Knot Nematode	n/a
IDC Recovery	Above Avg	Cercospora Leaf Blight	6.0

### **Plant with These Varieties**

S07EN45 | S12EN72 | S13EN56

Ratings Key: 9=Excellent, 5=Average, 1=Poor; HR=Highly Recommended, R=Recommended, N=Not Recommended, n/a Insufficient Data. Soybean Cyst Nematode: R=Resistant, MR=Moderately Resistant, S=Susceptible, # Denotes race number for resistance.

\*\*Actual ratings based on best current information available and may be affected by changing environmental and management conditions.\*\*

2025 Loveland Products, Inc. All Rights Reserved. Dyna-Gro is a registered trademark of Loveland Products, Inc. All other trademarks are the property of their respective owners.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience LLC & M.S. Technologies, LLC. Enlist products contain the Enlist trait provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate & 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. 2,4-D products that do not contain Colex-D® technology when applied according to label directions. technology are not authorized for use with Enlist products. Enlist, Enlist E3, the Enlist E3 logo and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. For complete soybean stewardship and trait legal statements, please refer to the Dyna-Gro® Product Guide.